



GLOBAL TEC TRADE SRL



LIGHT SOURCE TLS-35

CATEGORY: Light Source

FEATURES: Light Source TLS-35 Key Features :

- High Precision
- Highly accurate unit offering 6 calibrated wavelengths
- Interchangeable connectors
- Durable and reliable design
- Easy-to-use interface for error-free testing
- Rubber armor protection

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



Product specification



TLS-35

Wavelength	SM 1310/1550nm
	MM 850/1300nm
Typical Output Power	PON 1310/1490/1550 (optional)
	MS 850/1300/1310/1550nm (optional)
Optical Connector	SC+2.5mm universal (1.25mm for LC is Optional)
Power Supply	Alkaline Battery(3 AA 1.5V batteries)
Output Stability	±0.05dB/15mins; ±0.1dB/8hours
Modulation Frequencies	CW, 270Hz, 1KHz, 2KHz
Dimensions / Weight	160*85*45mm/220g

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

High Precision Fiber Optic Light Source

TLS-35

- SM & MM & PON Optional
- Ergonomic Design



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Product Features



Typical Output
Power: -5dB



Output Stability
 $\pm 0.05\text{dB}$



200h
Standby



Backlight Display



One-key Start



Carrier Output

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Multiple wavelength combination is optional

- 850nm/1300nm MM wavelengths
- 1310nm/1550nm SM wavelengths
- 850nm/1300nm/1310nm/1550nm SM & MM
- 1310nm/1490nm/1550nm PON wavelengths



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Ergonomic design One-handed operation

220 g **160*85 mm**
Weight Size



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Modulation carrier output

Have continuous wave output with 3 modulation frequencies

270Hz/1000Hz/2000Hz



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Detachable silicon rubber pad

Shock-proof & Drop-proof

Split design

Reduce collision damage and prolong service life



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

LED backlight Power saving function

LED backlight display,
Won't be afraid to work in the dark and improve work efficiency



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar