



# GLOBAL TEC TRADE SRL

Superi 4430, CABA (1430), Argentina

## Orientek TFI-40

Model Number	TFI-40
Wavelength Recognition Range	800nm to 1700nm
Signal Recognition Type	CW,270 Hz $\pm$ 5%,1 kHz $\pm$ 5%,2 kHz $\pm$ 5%
Detector Type	$\phi$ 1mm InGaAs 2 pcs
Adapted fiber type	Universal Holder for $\phi$ 0.25(Bare Fiber), $\phi$ 0.9, $\phi$ 2.0, $\phi$ 3.0 Cable
Signal Direction	Left & Right LED
Optical Power Reading Range	-40 dBm to 10 dBm
Signal Frequency Range	270Hz,1kHz,2kHz
Power Type	AA*2
Operating Temperature Range	-10°C to 60°C
Storage Temperature Range	-25°C to 70°C
Dimension	219mm*45mm*28mm
Weight	235g
VFL function	
Power range	1mW
Testing distance	3-5km
Wavelength	650nm
Laser type	LD
LED light	Support

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



# GLOBAL TEC TRADE SRL

Superi 4430, CABA (1430), Argentina

## Multi-in-one fixture



2.0/3.0mm jump cable



0.9mm fiber cable



Bare fiber cable

### PRODUCT LIST:



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



# GLOBAL TEC TRADE SRL

Superi 4430, CABA (1430), Argentina



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar