



GLOBAL TEC TRADE SRL



FIBER OPTIC CONNECTOR INSPECTION SYETEM TIP- 600V

FEATURES:

- Rotary metal bracket, stable and convenient.
- Compatible / FC/SC/ST/LC/SC female connector/LC male connector.
- 4000mAH large capacity lithium power,20 hours standby.
- real time video, support extend t-flash card ,quick check the pollution degree of female connector and male conector.
- 400 times magnification, the stain is clearly visible.
- 3.5 inch HD LCD display.
- 1/3 inch sensor, 300,000 effective pixels.
- removable Silicon Case, reduce the damage by collising or dropping in a certain extent.
- Small size, one-handed, convenient and fast

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Video Inspection Probe TIP-600V



Magnification
400x



Display Screen
3.5 inch



Battery Life
4000mAh/20Hrs



Compatible / FC/SC/ST
/E2000/LC/MU/MPO



Resolution Ratio
<1um

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Compatible / FC/SC/ST / LC/MU



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



Large screen

The 3.5 inch high definition LCD display is used to further enhance the brightness and clarity of the display. In order to avoid visual fatigue, so that the work becomes easy and simple.





GLOBAL TEC TRADE SRL

80° Rotary metal bracket

The angle of the bracket can be adjusted by rotation at will, which is stable and convenient. From the perspective of ergonomics, there is no need to watch on a single hand-held screen.



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Small and convenient

In line with ergonomics, comfortable grip, compact,
light and durable.



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Quick detection

quick check the pollution degree of female connector and male connector, to avoid mutual pollution between female connector and male connector



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Thickened silica gel protective sleeve

Full enclosure design, cushioning impact friction. Close protection, anti-falling, anti-seismic.



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Removable Silicon Case

split type design is better on protection, reduce the damage by colliding or dropping in a certain extent



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Information recording

Real-time video recording and expansion of TF card, convenient and fast recording of measurement information. Support data playback to facilitate inspection and data statistics.



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL

Product information



TIP-600V probe		Magnification	400X
		Resolution(μm)	surpass 1.0
		Visual range(μm)	0.316*0.285
		Dimension(μm)	235(W)*95(D)*30(H)
		Image Sensor	1/3 480
		Storage Temperatrue	-18℃~35℃
		Weight(kg)	0.11
3.5-inch LCD display	Image	Image size(mm)	22
		Pixels	307200
	Video	Frequency	25FPS
		LCD screen	960*240 LCD
		Video output mode	NTSC/PAL
		Playback Format	AVI
	User interface	Compatible memory cards	TF
		Capacity	8GB
		USB	1.1/2.0
		Hard disk format	FAT32
	Power supply	AC adapter	DC 5V/2A
		Internal Battery	Lithium battery 4000Mah
		Media Player	≥7
Weight(kg)/W*D*H(mm)		0.085/78*22*56	

Product display

Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar



GLOBAL TEC TRADE SRL



Tel. 11-2300-3000

info@gtt.com.ar

www.gtt.com.ar